

# ITL DENTAL

## Implant Catalog

---





# ITL DENTAL

## Implant System Catalog

---

ITL Dental was established in 1991 and is a manufacturer of dental implants and dental implant accessories. The Company has supplied dental implants and dental implant products to a number of leading implant system companies on a world-wide basis. Products are manufactured under a quality management system that complies with the requirements of ISO 13485: 2016, has FDA 510K, CE and MD Sap Certification.

Pricing for the products is based upon the purchase order quantity. Dental implants and abutments are sold as Private Label products. Dental implant accessories are sold as brand products or Private Label products.

This catalog displays a sampling of our implant products. Please contact us to discuss how we can meet your implant product needs.





# ITL DENTAL

## Implant Catalog

### Internal Hex Implants

Six Implant Diameters: 1.




3.2mm diameter

2.



3.7mm diameter

3.



4.2mm diameter

4.



4.7mm diameter

5.





5.2mm diameter

6.



5.7mm diameter



### Five Internal Hex Implant Lengths



8mm



10mm



11.5mm



13mm



16mm


(Above renderings not to scale) Implants continued on next page...

ITL DENTAL

## Internal Hex Implants


### Internal Hex Implants

**Color-coded  
Fixture Mounts**  
that can also be  
used as transfers.




**3.2, 3.7 and 4.2mm Diameter  
Internal Hex Implants**

**Fixture Mounts >**



**4.7mm / 5.2mm Diameter  
Internal Hex Implants**

**Fixture Mounts >**



**5.7mm Diameter  
Internal Hex Implants**

**Fixture Mounts >**

**5.7mmD Platform  
with a 3.0mmD  
Internal Hex**

(Above renderings not to scale)


**ITL DENTAL**

31 Peters Canyon, Irvine, CA 92606  
800.277.0073 949.223.8950 FAX: 949.223.8960  
www.itldental.com sales@itldental.com



# ITL DENTAL Implant Catalog

## Internal Hex Implant Packaging



### Mount Options Shown Below

Cervical  
Contoured Mount  
Option


Standard  
Mount  
Option



Product  
Code: IHXXXXA

IHXXXX

(See Page 8)



(Above photos not to scale)




# ITL DENTAL

## Internal Hex Implant

The Internal Hex Implant from ITL DENTAL  
with 45 degree internal bevel

2.5 mm internal hex.



Micro-grooves for enhanced tissue attachment. Micro-threads for increased stability and crestal bone stress reduction.



Tapered lead-in seals opening at crestal ridge. Less need for bone grafting.

Double lead threads require reduced turns for insertion. Vertical self-tapping grooves.

Tapered body decreases compression and increases initial stabilization. Helps self-tapping insertion in dense bone.



SBM Surface Treatment for increased surface contact area. Greater bone to implant contact.

Rounded apex for accurate implant insertion. Reduces risk of sinus perforation.





# ITL DENTAL

## Implant Catalog

### Wide-Pitch Thread Internal Hex Implants

Five Implant Diameters:



### Five Internal Hex Implant Lengths



(Above renderings not to scale)



# ITL DENTAL Implant Catalog

## The Single Platform (SP) Implant System

Five implant diameters  
with a 3.5mm platform:



3.2



3.7



4.2




4.7




5.2mm

- Platform switching for the 4.2, 4.7 and 5.2mm implants.
- Available with Narrow-Pitch (NP) or Wide-Pitch (WP) threads.
- Fixture mount is for implant insertion and can be used as a transfer.
- Standard fixture mount.
- Cervical Contoured fixture mount.




3.5mm Platform  
Color: Green

Narrow-Pitch  
Implant



Wide-Pitch  
Implant



4.7 / 5.2 Implant Product Codes  
with 3.5 Platform:

NP: IHPXXXX

WP: IHWPXXXX

with HA Coating

WP: IHAWPXXXXA

(Above photos not to scale)


ITL DENTAL

# ITL DENTAL

## Implant Catalog

### Internal Hex Implant Product Codes

| Diameter             | Length | NP THREAD                      |                   | WP THREAD                      |                   | HA Coated<br>WP Implants<br>Cervical<br>Contoured Mount |
|----------------------|--------|--------------------------------|-------------------|--------------------------------|-------------------|---------------------------------------------------------|
|                      |        | Cervical<br>Contoured<br>Mount | Standard<br>Mount | Cervical<br>Contoured<br>Mount | Standard<br>Mount |                                                         |
| 3.2mm (3.5 Platform) |        |                                |                   |                                |                   |                                                         |
|                      | 8mm    | IH328A                         | IH328             | IHW328A                        | IHW328            | IHAW328A                                                |
|                      | 10mm   | IH3210A                        | IH3210            | IHW3210A                       | IHW3210           | IHAW3210A                                               |
|                      | 11.5mm | IH3211A                        | IH3211            | IHW3211A                       | IHW3211           | IHAW3211A                                               |
|                      | 13mm   | IH3213A                        | IH3213            | IHW3213A                       | IHW3213           | IHAW3213A                                               |
|                      | 16mm   | IH3216A                        | IH3216            | IHW3216A                       | IHW3216           | IHAW3216A                                               |
| 3.7mm (3.5 Platform) |        |                                |                   |                                |                   |                                                         |
|                      | 8mm    | IH378A                         | IH378             | IHW378A                        | IHW378            | IHAW378A                                                |
|                      | 10mm   | IH3710A                        | IH3710            | IHW3710A                       | IHW3710           | IHAW3710A                                               |
|                      | 11.5mm | IH3711A                        | IH3711            | IHW3711A                       | IHW3711           | IHAW3711A                                               |
|                      | 13mm   | IH3713A                        | IH3713            | IHW3713A                       | IHW3713           | IHAW3713A                                               |
|                      | 16mm   | IH3716A                        | IH3716            | IHW3716A                       | IHW3716           | IHAW3716A                                               |
| 4.2mm (3.5 Platform) |        |                                |                   |                                |                   |                                                         |
|                      | 8mm    | IH428A                         | IH428             | IHW428A                        | IHW428            | IHAW428A                                                |
|                      | 10mm   | IH4210A                        | IH4210            | IHW4210A                       | IHW4210           | IHAW4210A                                               |
|                      | 11.5mm | IH4211A                        | IH4211            | IHW4211A                       | IHW4211           | IHAW4211A                                               |
|                      | 13mm   | IH4213A                        | IH4213            | IHW4213A                       | IHW4213           | IHAW4213A                                               |
|                      | 16mm   | IH4216A                        | IH4216            | IHW4216A                       | IHW4216           | IHAW4216A                                               |
| 4.7mm (4.5 Platform) |        |                                |                   |                                |                   |                                                         |
|                      | 8mm    | IH478A                         | IH478             | IHW478A                        | IHW478            | IHAW478A                                                |
|                      | 10mm   | IH4710A                        | IH4710            | IHW4710A                       | IHW4710           | IHAW4710A                                               |
|                      | 11.5mm | IH4711A                        | IH4711            | IHW4711A                       | IHW4711           | IHAW4711A                                               |
|                      | 13mm   | IH4713A                        | IH4713            | IHW4713A                       | IHW4713           | IHAW4713A                                               |
|                      | 16mm   | IH4716A                        | IH4716            | IHW4716A                       | IHW4716           | IHAW4716A                                               |
| 5.2mm (4.5 Platform) |        |                                |                   |                                |                   |                                                         |
|                      | 8mm    | IH528A                         | IH528             | IHW528A                        | IHW528            | IHAW528A                                                |
|                      | 10mm   | IH5210A                        | IH5210            | IHW5210A                       | IHW5210           | IHAW5210A                                               |
|                      | 11.5mm | IH5211A                        | IH5211            | IHW5211A                       | IHW5211           | IHAW5211A                                               |
|                      | 13mm   | IH5213A                        | IH5213            | IHW5213A                       | IHW5213           | IHAW5213A                                               |
|                      | 16mm   | IH5216A                        | IH5216            | IHW5216A                       | IHW5216           | IHAW5216A                                               |
| 5.7mm (5.7 Platform) |        |                                |                   |                                |                   |                                                         |
|                      | 8mm    |                                | IH578             |                                |                   |                                                         |
|                      | 10mm   |                                | IH5710            |                                |                   |                                                         |
|                      | 11.5mm |                                | IH5711            |                                |                   |                                                         |
|                      | 13mm   |                                | IH5713            |                                |                   |                                                         |
|                      | 16mm   |                                | IH5716            |                                |                   |                                                         |



**5 Internal Hex  
Implant Lengths**

16mm, 13mm, 11.5mm, 10mm and 8mm

### 4.7 / 5.2 Implants (3.5 Platform)

| NP      | WP       | WP-HA      |
|---------|----------|------------|
| IHP478  | IHWP478  | IHAWP478A  |
| IHP4710 | IHWP4710 | IHAWP4710A |
| IHP4711 | IHWP4711 | IHAWP4711A |
| IHP4713 | IHWP4713 | IHAWP4713A |
| IHP4716 | IHWP4716 | IHAWP4716A |
| IHP528  | IHWP528  | IHAWP528A  |
| IHP5210 | IHWP5210 | IHAWP5210A |
| IHP5211 | IHWP5211 | IHAWP5211A |
| IHP5213 | IHWP5213 | IHAWP5213A |
| IHP5216 | IHWP5216 | IHAWP5216A |

NP + WP - Standard Mount  
WP - HA - Cervical Contoured Mount



# ITL DENTAL

## Implant Instrumentation

### SURGICAL DRILLS

The step drills are coated to improve the visualization of the score lines and to increase cutting lubricity. They are available in 7 diameters. The first 4mm is the smaller diameter stepping up to the larger diameter.



### Drill Sequence Chart

| Drill Code* | Drill Code No Hub | Size    | Color  | Platform/Implant Diameter |         |         |         |         |         |
|-------------|-------------------|---------|--------|---------------------------|---------|---------|---------|---------|---------|
|             |                   |         |        | 3.5/3.2                   | 3.5/3.7 | 3.5/4.2 | 4.5/4.7 | 4.5/5.2 | 5.7/5.7 |
| SD2320      | SDS2320           | 2.3/2.0 | White  | X                         | X       | X       | X       | X       | X       |
| SD2823      | SDS2823           | 2.8/2.3 | Grey   | X                         | X       | X       | X       | X       | X       |
| SD3428      | SDS3428           | 3.4/2.8 | Green  |                           | X       | X       | X       | X       | X       |
| SD3834      | SDS3834           | 3.8/3.4 | Pink   |                           |         | X       | X       | X       | X       |
| SD4438      | SDS4438           | 4.4/3.8 | Purple |                           |         |         | X       | X       | X       |
| SD4844      | SDS4844           | 4.8/4.4 | Blue   |                           |         |         |         | X       | X       |
| SD5448      | SDS5448           | 5.4/4.8 | Yellow |                           |         |         |         |         | X       |

Last drill is used in dense bone situations. For soft bone, delete last drill.

\* For use with drill stops.

(Above photos not to scale)

Implant Instrumentation  
continued on next page...

ITL DENTAL

# ITL DENTAL

## Implant Instrumentation

### Non-Adjustable Torque Wrenches



Single Setting Torque Wrenches: 15, 20, 25, 30 and 35 Ncm  
15Ncm: GTW 15; 20Ncm: GTW 20; 25Ncm: GTW 25;  
30Ncm: GTW 30; 35Ncm: GTW 35  
4mm Square Connection

### Adjustable Torque Wrench



Adjustable Torque Wrench with Nine Settings:  
15, 20, 25, 30, 35, 40, 45, 50 and 60 Ncm  
ATWP: with Precise logo ATW: without Precise logo  
4mm Square Connection

### Prosthetic Kit



Adjustable Torque Wrench and manual knob, with  
your choice of up to 6 drivers.

(Above photos not to scale)


ITL DENTAL

Implant Instrumentation  
continued on next page...




# ITL DENTAL


## Implant Instrumentation



Depth Gauge Open End Wrench: DGW




4mm Square Screw Driver Handle: ISIH



Implant Mount Driver-  
IMDSN



4mm Ratchet Wrench: RWA



Drill Extension: DEXI



Direction Indicators:  
DI 1823

(Above photos not to scale)

Implant Instrumentation  
continued on next page...

ITL DENTAL

# ITIL DENTAL

## Implant Instrumentation

### Implant Drivers, Extensions & Adaptors

#### SHAFT LENGTHS:

SHORT: 6.4mm

LONG: 12.7mm



| TIPS | HEX DRIVERS | SPECS                                                 |
|------|-------------|-------------------------------------------------------|
|      |             | .035 Hex<br>Tapered<br>Short: HCT<br>Long: HCLT       |
|      |             | .035 Hex<br>Short: HC<br>Long: HCL                    |
|      |             | .040 Hex<br>Tapered<br>Short: HSM<br>Long: HSML       |
|      |             | .048 Hex<br>Tapered<br>Short: HNT<br>Long: HNLT       |
|      |             | .050 Hex<br>Tapered<br>Short: HTT<br>Long: HTLT       |
|      |             | .052 Hex<br>Tapered<br>Short: HT2SMT<br>Long: HT2SMLT |
|      |             | .062 Hex<br>Short: HS<br>Long: HSL                    |

| TIPS | HEX DRIVERS | SPECS                                                   |
|------|-------------|---------------------------------------------------------|
|      |             | .070 Hex<br>Long: HTSI                                  |
|      |             | .080 Hex<br>Short: HU<br>Long: HUL                      |
|      |             | 2.5mm Hex<br>Short: H25S<br>Long: H25L                  |
|      |             | Hex Driver for<br>internal Hex<br>Long: IHDL            |
|      |             | Hex Driver for<br>internal Hex<br>Short: IHDS           |
|      |             | Implant Driver<br>5.7mm<br>internal Hex<br>Long: IHD5L  |
|      |             | Implant Driver<br>5.7mm<br>internal Hex<br>Short: IHD5S |

| TIPS | SPECIALTY DRIVERS | SPECS                                                 |
|------|-------------------|-------------------------------------------------------|
|      |                   | .048 / .050<br>Hex<br>Short: HNHTS<br>Long: HNHTL     |
|      |                   | Torx<br>Short: PROC-S<br>Long: PROC-L<br>NobelBiocare |
|      |                   | Torx<br>Short: ITIS<br>Long: ITIL<br>ITI/Straumann    |
|      |                   | 4mm Square<br>Head Triangle<br>Driver<br>Short: TRIS  |
|      |                   | 4mm Square<br>Head Triangle<br>Driver<br>Long: TRIL   |
|      |                   | Female Driver<br>.080 Hex<br>Short: HFD               |
|      |                   | TG Post for 3i/<br>ITI/Straumann<br>TGDN              |
|      |                   | Mini Implant<br>Driver Short<br>MIDS                  |
|      |                   | Mini Implant<br>Driver Long<br>MIDL                   |

(Product photos not to scale)

To order call: 800.277.0073  
or contact us at: sales@itildental.com  
For additional implant-related product  
information, visit our website at:  
www.itildental.com



# ITIL DENTAL

## Implant Instrumentation

### Implant Drivers, Extensions & Adaptors

#### SHAFT LENGTHS:

SHORT: 6.4mm

LONG: 12.7mm



| TIPS | LATCH STYLE DRIVERS | SPECS                                                                      | TIPS        | LATCH STYLE DRIVERS | SPECS                                                         | TIPS               | ADAPTORS | SPECS                                             |
|------|---------------------|----------------------------------------------------------------------------|-------------|---------------------|---------------------------------------------------------------|--------------------|----------|---------------------------------------------------|
|      |                     | 2.5mm Latch Style Hex Driver<br>Short: H25LS<br>Long: H25LL                |             |                     | Implant Latch Driver for Internal Hex<br>Long: IHDRAL         |                    |          | NA<br>NobelBiocare<br>Torque Wrench<br>Adaptor    |
|      |                     | Latch Style Torx Driver<br>NobelBiocare<br>Short: PROCLSS<br>Long: PROCLSL |             |                     | Implant Latch Driver for Internal Hex<br>Short: IHDRAS        |                    |          | ITIA<br>ITV/Straumann<br>Torque Wrench<br>Adaptor |
|      |                     | .040 Latch Style, Tapered Hex Driver<br>H40RA                              |             |                     | Implant Latch Driver for 5.7mm Internal Hex<br>Long: IHD5RAL  |                    |          | LS<br>Latch to<br>Square<br>Adaptor               |
|      |                     | .048 Latch Style, Tapered Hex Driver<br>T10/24                             |             |                     | Implant Latch Driver for 5.7mm Internal Hex<br>Short: IHD5RAS | <b>MANUAL KNOB</b> |          | <b>SPECS</b>                                      |
|      |                     | .050 Latch Style, Tapered Hex Driver<br>Short: HTRAS<br>Long: HTRAL        |             |                     | .050 Square Driver,<br>Long: CERL<br>Short: CERS              |                    |          | Manual Knob<br>TK                                 |
|      |                     | 4mm Latch Style Triangle Driver<br>TRIA                                    |             |                     | .050 Latch Style, Square Driver<br>T17/24                     |                    |          | 3/8" Extension<br>EX                              |
|      |                     | Latch Style Torx Driver<br>ITI/Straumann<br>Short: ITILSS<br>Long: ITILSL  |             |                     | 5/8" Extension<br>EXL                                         |                    |          |                                                   |
|      |                     |                                                                            | <b>TIPS</b> | <b>SLOT DRIVERS</b> | <b>SPECS</b>                                                  |                    |          |                                                   |
|      |                     |                                                                            |             |                     | 0.017 Slot Driver<br>Short: SN<br>Long: SNL                   |                    |          |                                                   |

To order call: 800.277.0073  
or contact us at: [sales@itldental.com](mailto:sales@itldental.com)  
For additional implant-related product information, visit our website at:  
[www.itldental.com](http://www.itldental.com)

**ITIL DENTAL**

31 Peters Canyon, Irvine, CA 92606

800.277.0073 949.223.8950

FAX: 949.223.8960 [www.itldental.com](http://www.itldental.com)


[sales@itldental.com](mailto:sales@itldental.com)

(Product photos not to scale)

# ITL DENTAL

## Implant Instrumentation

# Bone Expander Kit



## An Alternative to Osteotomes

Bone expander drills are an alternative to osteotomes for the expansion and condensing of the atrophic mandible and maxilla in preparation for dental implant insertions. Expanders are also an alternative to the maxillary sinus elevation technique.

## Surgical Drama Decreased

Expanders are driven into the bone with a ratchet wrench or low speed hand piece. This decreases the surgical trauma of osteotomes. Bone expanders improve the clinical success by improving stability, maintaining bone density and increasing fixation.

## What the Kit Includes

The Bone Expander Kit from ITL Dental includes 6 expanders, a ratchet wrench, a pilot drill, a ratchet wrench extender, a hand piece latch adaptor and a manual knob for finger usage. The kit is autoclavable.

Product code: BEK

ITL DENTAL



## Implant Instrumentation

### Basic Surgical Drilling Kit



**The ITL DENTAL  
Basic Surgical Drilling Kit  
Product Code: SKK**



The Surgical Drilling Kit shown here includes a Ratchet Wrench, 1.25mm Hex Driver, Motor Driver, Manual Knob, Pilot Drill, 2.5mm Hex Driver, Long, 2.5mm Hex Driver, Short, 2 Paralleling Pins, with the following Drills: 2.3/2.0; 2.8/2.3; 3.4/2.8; 3.8/3.4; 4.4/3.8; 4.8/4.4 and 5.4/4.8mm Drills. The Kit is fully autoclaveable and constructed of high-grade stainless steel.

#### **Autoclavable:**

This kit may be autoclaved. Follow the sterilizer manufacturer's recommended procedure while observing the following cautions:

#### **Caution:**

- **Do not** exceed 275° (175°C)
  - **Do not** submerge in any solution
  - **Do not** use ultrasonic devices
  - **Do not** autoclave for extended periods of time (i.e. overnight).
- Extended autoclaving should not be confused with repeated autoclaving. Repeated autoclaving will not harm the product.

# ITL DENTAL

## Implant Instrumentation

### Advanced Surgical Drilling Kit



**The  
Advanced  
Surgical Drilling Kit  
Product Code: SKLK**

The Advanced Surgical Drilling Kit shown here includes:  
Ratchet Wrench, Straight Handle, Drill Extension, Implant Mount Driver, Thumb Knob, Long and Short .048 Hex Driver, Long and Short .050 Hex Driver, Long and Short 2.5mm Hex Driver, 4, Direction Indicators, Pilot Drill, and 7, Surgical Drills: 2.3/2.0, 2.8/2.3, 3.4/2.8, 3.8/3.4, 4.4/3.8, 4.8/4.4, and 5.4/4.8.  
The Kit is autoclaveable.

#### **Autoclaving:**

This kit may be autoclaved. Follow the sterilizer manufacturer's recommended procedure while observing the following cautions:

#### **Caution:**

- **Do not** exceed 275° (175°C)
  - **Do not** submerge in any solution
  - **Do not** use ultrasonic devices
  - **Do not** autoclave for extended periods of time (i.e. overnight).
- Extended autoclaving should not be confused with repeated autoclaving.  
Repeated autoclaving will not harm the product.



# Prosthetic Catalog Index

## Internal Hex

|               |                       |                |
|---------------|-----------------------|----------------|
| Implant Items |                       | I - 17         |
| Section 1     | OLS                   | 19 - 20        |
| Section 2     | MLS SYSTEM            | 21 - 22        |
| Section 3     | MLS UNIT RESTORATION  | 23 - 24        |
| Section 4     | BALL ATTACHMENT       | 25, 26, 27     |
| Section 5     | TEMPORARY ABUTMENTS   | 28             |
| Section 6     | TITANIUM ABUTMENTS    | 29, 30, 31, 32 |
| Section 8     | CASTING ABUTMENTS     | 33             |
| Section 9     | ANALOG                | 34             |
| Section 10    | 3D SCANNING INTERFACE | 35             |
| Section 11    | HEALING CAP           | 36             |
| Section 12    | PROSTHETIC SCREWS     | 37             |
| Section 13    | TRANSFER              | 38             |

# ITL DENTAL

## Prosthetic Catalog

### STRAIGHT OLS ABUTMENT SYSTEM

Over Denture Attachment in connection with implants

OLS ABUTMENT SYSTEM



#### OLS ABUTMENT SYSTEM MINOR - RETAINED OVER DENTURE ABUTMENTS

Abutment bases in connection with implants  
3.5 Platform



| Cat. No.    | WCM-0000             | WCM-0010             | WCM-0020             | WCM-0030             | WCM-0040             | WCM-0050             |
|-------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|
| Designation | 0mm Aesthetic Height | 1mm Aesthetic Height | 2mm Aesthetic Height | 3mm Aesthetic Height | 4mm Aesthetic Height | 5mm Aesthetic Height |

for FULL SET add SPE to Cat No.

#### OLS ABUTMENT SYSTEM - MINOR SET PEEK

Abutment bases with peek attachment and housing covers  
3.5 Platform

FULL SET



| Cat. No.    | WCM-0000 - SPE       | WCM-0010 - SPE       | WCM-0020 - SPE       | WCM-0030 - SPE       | WCM-0040 - SPE       | WCM-0050 - SPE       |
|-------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|
| Designation | 0mm Aesthetic Height | 1mm Aesthetic Height | 2mm Aesthetic Height | 3mm Aesthetic Height | 4mm Aesthetic Height | 5mm Aesthetic Height |



#### OLS ABUTMENT SYSTEM - ACCESSORIES



| Cat. No.    | WCH-5628                      | WCH-4823                | WCP-2348-H                   | WCPS-2348-H                  | WCP-2348               | SCH-8540            | TWC-1105         | WCT-900                  | AWC-1301       |
|-------------|-------------------------------|-------------------------|------------------------------|------------------------------|------------------------|---------------------|------------------|--------------------------|----------------|
| Designation | STAINLESS STEEL HOUSING COVER | STAINLESS STEEL HOUSING | Hard Housing PEEK Attachment | Soft Housing PEEK Attachment | DIRECT PEEK Attachment | SILICON Sealed RING | TRANSFER for OLS | OLS ABUTMENT SYSTEM Tool | ANALOG for OLS |



# ITL DENTAL

## Prosthetic Catalog

### ANGULAR OLS ABUTMENT SYSTEM CONCEPT 9°, 18°, 30°

#### OLS Over Denture Attachment - SETS



OLS ABUTMENT SYSTEM  
ON MLS SYSTEM

#### 9° OLS ABUTMENT SYSTEM ANGULAR MLS SYSTEM CONCEPT

##### OLS Angular Over Denture Attachment - SET



| Cat. No.    | WCA-0920 - M                                | WCA-0930 - M                                | WCA-0940 - M                                | WCA-0950 - M                                |
|-------------|---------------------------------------------|---------------------------------------------|---------------------------------------------|---------------------------------------------|
| Designation | 9° OLS angular<br>MLS System 2 mm<br>Height | 9° OLS angular<br>MLS System 3 mm<br>Height | 9° OLS angular<br>MLS System 4 mm<br>Height | 9° OLS angular<br>MLS System 5 mm<br>Height |



| Cat. No.    | OLH 0035                 |
|-------------|--------------------------|
| Designation | Orienting Lead<br>Holder |

#### 18° OLS ABUTMENT SYSTEM ANGULAR MLS SYSTEM CONCEPT

##### OLS Angular Over Denture Attachment - SET



| Cat. No.    | WCA-1820 - M                                 | WCA-1830 - M                                 | WCA-1840 - M                                 | WCA-1850 - M                                 |
|-------------|----------------------------------------------|----------------------------------------------|----------------------------------------------|----------------------------------------------|
| Designation | 18° OLS angular<br>MLS System 2 mm<br>Height | 18° OLS angular<br>MLS System 3 mm<br>Height | 18° OLS angular<br>MLS System 4 mm<br>Height | 18° OLS angular<br>MLS System 5 mm<br>Height |

1 OLS

Color no. 1  
Internal Hex

#### 30° OLS ABUTMENT SYSTEM ANGULAR MLS SYSTEM CONCEPT

##### OLS Angular Over Denture Attachment - SET



| Cat. No.    | WCA-3020 - M                                 | WCA-3030 - M                                 | WCA-3040 - M                                 | WCA-3050 - M                                 |
|-------------|----------------------------------------------|----------------------------------------------|----------------------------------------------|----------------------------------------------|
| Designation | 30° OLS angular<br>MLS System 2 mm<br>Height | 30° OLS angular<br>MLS System 3 mm<br>Height | 30° OLS angular<br>MLS System 4 mm<br>Height | 30° OLS angular<br>MLS System 5 mm<br>Height |

Designation info for  
Angular MLS System Adaptors:

Internal Hex:



3.5 platform = WCA-... - M



4.5 platform = WCA-... - W

# ITL DENTAL

## Prosthetic Catalog

### ANGULAR MLS SYSTEM CONCEPT 9°,18°,30° MLS Unit Items Over Denture Attachment

MLS SYSTEM

AESTHETIC MINOR UNIT - System Adaptor  
Angular MLS System Adaptor 9°,18°,30°  
3.5 Platform

WIDE UNIT - System Adaptor  
Angular MLS System Adaptor 9°,18°,30°  
4.5 Platform

|                                                                                   |                                                                                   |                                                                                   |                                 |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|---------------------------------|
|  |  |  |                                 |
|  | EMU-0910                                                                          | EMU-1810                                                                          | EMU-3010                        |
|  | 9° ANGLE MLS<br>SYSTEM Adaptor                                                    | 18° ANGLE MLS<br>SYSTEM Adaptor                                                   | 30° ANGLE MLS<br>SYSTEM Adaptor |

|                                                                                   |                       |
|-----------------------------------------------------------------------------------|-----------------------|
|  |                       |
| Cat. No.                                                                          | OLH 0035              |
| Designation                                                                       | Orienting Lead Holder |

|                                                                                     |                                                                                     |                                                                                     |                                     |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------|
|  |  |  |                                     |
| <b>Cat. No.</b>                                                                     | <b>EWU-0910</b>                                                                     | <b>EWU-1810</b>                                                                     | <b>EWU-3010</b>                     |
| <b>Description</b>                                                                  | <b>9° ANGLE MLS SYSTEM Adaptor</b>                                                  | <b>18° ANGLE MLS SYSTEM Adaptor</b>                                                 | <b>30° ANGLE MLS SYSTEM Adaptor</b> |

### ANGLE AND HEIGHT GAUGE



|                                                                                   |  |                |  |                |  |                                                                                   |  |                 |  |                                  |  |                                                                                   |  |  |  |  |  |                                                                                    |  |  |  |  |  |                                                                                     |  |  |  |  |  |
|-----------------------------------------------------------------------------------|--|----------------|--|----------------|--|-----------------------------------------------------------------------------------|--|-----------------|--|----------------------------------|--|-----------------------------------------------------------------------------------|--|--|--|--|--|------------------------------------------------------------------------------------|--|--|--|--|--|-------------------------------------------------------------------------------------|--|--|--|--|--|
|  |  |                |  |                |  |  |  |                 |  |                                  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Cat. No.                                                                          |  | GAHM-00        |  | GAHM-09        |  | GAHM-18                                                                           |  | GAHM-30         |  | GAHM-SET                         |  |                                                                                   |  |  |  |  |  |                                                                                    |  |  |  |  |  |                                                                                     |  |  |  |  |  |
| Designation                                                                       |  | Straight gauge |  | 9° Angle gauge |  | 18° Angle gauge                                                                   |  | 30° Angle gauge |  | Set include full range of gauges |  |                                                                                   |  |  |  |  |  |                                                                                    |  |  |  |  |  |                                                                                     |  |  |  |  |  |

### OLS ABUTMENT SYSTEM CONNECTION OLS Connection for MLS System Concept

|                                                                                      |                                      |                                      |                                      |                                      |
|--------------------------------------------------------------------------------------|--------------------------------------|--------------------------------------|--------------------------------------|--------------------------------------|
|  |                                      |                                      |                                      |                                      |
| Cat. No.                                                                             | WCC-0020                             | WCC-0030                             | WCC-0040                             | WCC-0050                             |
| Designation                                                                          | 2 mm CONNECTION<br>MLS SYSTEM<br>OLS | 3 mm CONNECTION<br>MLS SYSTEM<br>OLS | 4 mm CONNECTION<br>MLS SYSTEM<br>OLS | 5 mm CONNECTION<br>MLS SYSTEM<br>OLS |



### OLS ABUTMENT SYSTEM - ACCESSORIES

|                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                      |                                                                                       |                                                                                       |                                                                                       |                |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|----------------|
|  |  |  |  |  |  |  |  |  |                |
| Cat. No.                                                                            | WCH-5628                                                                            | WCH-4823                                                                            | WCP-2348-H                                                                          | WCPS-2348-H                                                                         | WCP-2348                                                                             | SCH-8540                                                                              | TWC-1105                                                                              | WCT-900                                                                               | AWC-1301       |
| Designation                                                                         | STAINLESS STEEL HOUSING COVER                                                       | STAINLESS STEEL HOUSING                                                             | Hard Housing PEEK Attachment                                                        | Soft Housing PEEK Attachment                                                        | DIRECT PEEK Attachment                                                               | SILICON Sealed RING                                                                   | TRANSFER for OLS                                                                      | OLS Tool                                                                              | ANALOG for OLS |



# ITL DENTAL

## Prosthetic Catalog

### BALL MLS SYSTEM ANGULAR

Ball attachment connection for MLS System Concept



|             |                                    |                                    |                                    |                                    |
|-------------|------------------------------------|------------------------------------|------------------------------------|------------------------------------|
|             |                                    |                                    |                                    |                                    |
| Cat. No.    | BMA-0020                           | BMA-0030                           | BMA-0040                           | BMA-0050                           |
| Designation | 2 mm CONNECTION<br>MLS SYSTEM BALL | 3 mm CONNECTION<br>MLS SYSTEM BALL | 4 mm CONNECTION<br>MLS SYSTEM BALL | 5 mm CONNECTION<br>MLS SYSTEM BALL |

### BALL Attachment- Accessories




|             |                            |                |
|-------------|----------------------------|----------------|
| Cat. No.    | BHM-5032                   | BIS-0025       |
| Designation | Stainless Steel<br>Housing | Silicon Insert |

### MLS SYSTEM UNIT CONNECTION

Screwed in Connection for MLS System Concept

MLS SYSTEM



|             |                               |                               |                               |                               |
|-------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|
|             |                               |                               |                               |                               |
| Cat. No.    | MUC-0021                      | MUC-0031                      | MUC-0041                      | MUC-0051                      |
| Designation | 2 mm CONNECTION<br>MLS SYSTEM | 3 mm CONNECTION<br>MLS SYSTEM | 4 mm CONNECTION<br>MLS SYSTEM | 5 mm CONNECTION<br>MLS SYSTEM |

### MLS-UNIT ACCESSORIES

|             |                                  |                        |                                                 |                                                          |                               |                                          |                              |                                  |                             |                       |                         |                                     |                               |                          |                                |                                  |
|-------------|----------------------------------|------------------------|-------------------------------------------------|----------------------------------------------------------|-------------------------------|------------------------------------------|------------------------------|----------------------------------|-----------------------------|-----------------------|-------------------------|-------------------------------------|-------------------------------|--------------------------|--------------------------------|----------------------------------|
|             |                                  |                        |                                                 |                                                          |                               |                                          |                              |                                  |                             |                       |                         |                                     |                               |                          |                                |                                  |
| Cat. No.    | PSU-0032                         | PSU-0050               | TSU-1250                                        | TMU-0532                                                 | CMU-1006                      | CMU-1007                                 | TSU-1043                     | TSU-1055                         | TMU-1000                    | TMU-1200              | TMU-8005                | WQP-0011                            | HCC-4550                      | AMU-1201                 | TSM-1013                       | DASM-1040                        |
| Designation | Plastic Sleeve<br>screw included | Parallel<br>connection | Titanium Sleeve<br>for Temporary<br>Restoration | Titanium Short<br>Sleeve for<br>Temporary<br>Restoration | Short slim<br>Titanium Sleeve | Long slim<br>Titanium Sleeve<br>L = 80mm | 3-D Scanning<br>Device<br>Ti | 3-D Scanning<br>Device<br>LAB Ti | Open Tray<br>Short Transfer | Open Tray<br>Transfer | Closed Tray<br>Transfer | Plastic for Closed<br>Tray Transfer | Healing Cap<br>for Multi-Unit | Analog for<br>Multi-Unit | Titanium Sleeve<br>for Welding | Digital Analog<br>for Multi Unit |



SMU-4023  
Screw for MLS  
Unit Sleeve

**NOTE:** It is recommended to purchase additional screws.

# ITL DENTAL

## Prosthetic Catalog

### MLS SYSTEM STRAIGHT AESTHETIC ABUTMENTS

Abutments with smooth, non locking surface for MLS-Unit restorations

#### AESTHETIC MINOR UNIT

Straight MLS-Unit

3.5 platform



| Cat. No.    | EMU-0011   | EMU-0021   | EMU-0031   | EMU-0041   | EMU-0051   | EMU-0061   |
|-------------|------------|------------|------------|------------|------------|------------|
| Designation | 1mm height | 2mm height | 3mm height | 4mm height | 5mm height | 6mm height |

#### AESTHETIC WIDE UNIT

Straight MLS-Unit

4.5 platform



| Cat. No.    | EWU-0011   | EWU-0021   | EWU-0031   | EWU-0041   | EWU-0051   | EWU-0061   |
|-------------|------------|------------|------------|------------|------------|------------|
| Designation | 1mm height | 2mm height | 3mm height | 4mm height | 5mm height | 6mm height |

SMU-4023  
Screw for Multi  
Unit sleeve

SMU-5022  
Long head  
screw for Multi  
Unit sleeve

3 MLS UNIT RESTORATION

Color no. 3  
Internal Hex

### MLS-UNIT ACCESORIES

| Cat. No.    | PSU-0032                         | PSU-0050               | TSU-1250                                        | TMU-0532                                                 | CMU-1006                      | CMU-1007                                 | TSU-1043                     | TSU-1055                         | TMU-1000                    | TMU-1200              | TMU-8005                | WQP-0011                            | HCC-4550                      | AMU-1201                 | TSM-1013                       | DASM-1040                        |
|-------------|----------------------------------|------------------------|-------------------------------------------------|----------------------------------------------------------|-------------------------------|------------------------------------------|------------------------------|----------------------------------|-----------------------------|-----------------------|-------------------------|-------------------------------------|-------------------------------|--------------------------|--------------------------------|----------------------------------|
| Designation | Plastic Sleeve<br>screw included | Parallel<br>connection | Titanium Sleeve<br>for Temporary<br>Restoration | Titanium Short<br>Sleeve for<br>Temporary<br>Restoration | Short slim<br>Titanium Sleeve | Long slim<br>Titanium Sleeve<br>L = 80mm | 3-D Scanning<br>Device<br>Ti | 3-D Scanning<br>Device<br>LAB Ti | Open Tray<br>Short Transfer | Open Tray<br>Transfer | Closed Tray<br>Transfer | Plastic for Closed<br>Tray Transfer | Healing Cap<br>for Multi-Unit | Analog for<br>Multi-Unit | Titanium Sleeve<br>for Welding | Digital Analog<br>for Multi Unit |

### OVER DENTURE ABUTMENTS

For single tooth restorations

Over Denture Abutments with Hex Locking for single tooth restorations.

AESTHETIC CONNECTION ABUTMENT  
with hex for Retention and positioning



| Cat. No.      | ECA-6005     | ECA-6015     | ECA-6025     |
|---------------|--------------|--------------|--------------|
| Designation   | 0.5mm height | 1.5mm height | 2.5mm height |
| Related screw | SCS - 3011   | SCS - 3012   | SCS - 3013   |

#### PLASTIC AESTHETIC SLEEVE



| Cat. No.    | PES-1240                    | PES-1240 R                    |
|-------------|-----------------------------|-------------------------------|
| Designation | Plastic for<br>ECA hex base | Plastic for<br>ECA round base |



23

ITL DENTAL



### ANGULAR MLS SYSTEM CONCEPT 9°,18°,30° MLS Unit Over Denture Attachment


#### 3.5 Platform

9° ANGULAR MLS SYSTEM UNIT CONCEPT  
Aesthetic MLS Unit Angular Over Denture Attachment - SET

9°




| Cat. No.    | EMA-0921-M                | EMA-0931-M                | EMA-0941-M                | EMA-0951-M                |
|-------------|---------------------------|---------------------------|---------------------------|---------------------------|
| Designation | 9° Angular MLS<br>3mm - H | 9° Angular MLS<br>4mm - H | 9° Angular MLS<br>5mm - H | 9° Angular MLS<br>6mm - H |



MLS SYSTEM

18° ANGULAR MLS SYSTEM UNIT CONCEPT  
Aesthetic MLS Unit Angular Over Denture Attachment

18°




| Cat. No.    | AMU-1801                   | AMU-1811                   | AMU-1821                   | AMU-1831                   | EMA-1831-M                  | EMA-1841-M                 | EMA-1851-M                 | EMA-1861-M                 |
|-------------|----------------------------|----------------------------|----------------------------|----------------------------|-----------------------------|----------------------------|----------------------------|----------------------------|
| Designation | 18° Angular MLS<br>2mm - H | 18° Angular MLS<br>3mm - H | 18° Angular MLS<br>4mm - H | 18° Angular MLS<br>5mm - H | 18° Angular MLS-<br>3mm - H | 18° Angular MLS<br>4mm - H | 18° Angular MLS<br>5mm - H | 18° Angular MLS<br>6mm - H |



30° ANGULAR MLS SYSTEM UNIT CONCEPT  
Aesthetic MLS Unit Angular Over Denture Attachment

30°




| Cat. No.    | AMU-3001                   | AMU-3011                   | AMU-3021                   | AMU-3031                   | EMA-3031-M                 | EMA-3041-M                 | EMA-3051-M                 | EMA-3061-M                 |
|-------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|
| Designation | 30° Angular MLS<br>3mm - H | 30° Angular MLS<br>4mm - H | 30° Angular MLS<br>5mm - H | 30° Angular MLS<br>6mm - H | 30° Angular MLS<br>4mm - H | 30° Angular MLS<br>5mm - H | 30° Angular MLS<br>6mm - H | 30° Angular MLS<br>7mm - H |



#### 4.5 Platform

18° ANGULAR MLS SYSTEM UNIT CONCEPT  
Aesthetic MLS Unit Angular Over Denture Attachment

18°




| Cat. No.    | AWU-1801                   | AWU-1811                   | AWU-1821                   | AWU-1831                   | EMA-1831-W                  | EMA-1841-W                 | EMA-1851-W                 | EMA-1861-W                 |
|-------------|----------------------------|----------------------------|----------------------------|----------------------------|-----------------------------|----------------------------|----------------------------|----------------------------|
| Designation | 18° Angular MLS<br>2mm - H | 18° Angular MLS<br>3mm - H | 18° Angular MLS<br>4mm - H | 18° Angular MLS<br>5mm - H | 18° Angular MLS-<br>3mm - H | 18° Angular MLS<br>4mm - H | 18° Angular MLS<br>5mm - H | 18° Angular MLS<br>6mm - H |



30° ANGULAR MLS SYSTEM UNIT CONCEPT  
Aesthetic MLS Unit Angular Over Denture Attachment

30°



| Cat. No.    | AWU-3001                   | AWU-3011                   | AWU-3021                   | AWU-3031                   | EMA-3031-W                 | EMA-3041-W                 | EMA-3051-W                 | EMA-3061-W                 |
|-------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|
| Designation | 30° Angular MLS<br>3mm - H | 30° Angular MLS<br>4mm - H | 30° Angular MLS<br>5mm - H | 30° Angular MLS<br>6mm - H | 30° Angular MLS<br>4mm - H | 30° Angular MLS<br>5mm - H | 30° Angular MLS<br>6mm - H | 30° Angular MLS<br>7mm - H |




### UNIVERSAL MULTI-UNIT ABUTMENTS

#### 3.5 Platform

##### STRAIGHT MULTI-UNIT

| Product Code     | Height  |
|------------------|---------|
| <b>EMU-001IU</b> | h=1.0mm |
| <b>EMU-002IU</b> | h=2.0mm |
| <b>EMU-003IU</b> | h=3.0mm |
| <b>EMU-004IU</b> | h=4.0mm |
| <b>EMU-005IU</b> | h=5.0mm |



MLS SYSTEM


#### 3.5 Platform

##### 17° Angular Multi-Unit

| Product Code | Height  |
|--------------|---------|
| AMU-180IU    | h=2.0mm |
| AMU-181IU    | h=3.0mm |
| AMU-182IU    | h=4.0mm |
| AMU-183IU    | h=5.0mm |



Gingival →



#### 3.5 Platform

##### 30° Angular Multi-Unit

| Product Code | Height  |
|--------------|---------|
| AMU-300IU    | h=3.0mm |
| AMU-301IU    | h=4.0mm |
| AMU-302IU    | h=5.0mm |



3 MLS SYSTEM RESTORATION  
Color no. 3  
Internal Hex

### UNIVERSAL MULTI-UNIT ACCESSORIES

|                                        |                                            |                             |                                    |                                      |                                                |                      |                     |                                           |                                  |                                             |                                                |                                                       |
|----------------------------------------|--------------------------------------------|-----------------------------|------------------------------------|--------------------------------------|------------------------------------------------|----------------------|---------------------|-------------------------------------------|----------------------------------|---------------------------------------------|------------------------------------------------|-------------------------------------------------------|
|                                        |                                            |                             |                                    |                                      |                                                |                      |                     |                                           |                                  |                                             |                                                |                                                       |
| <b>TSU-1250U</b><br>Titanium<br>sleeve | PSU-0032U<br>Plastic sleeve<br>for casting | HCC-4550U<br>Healing<br>cap | TMU-1200U<br>Open tray<br>transfer | TMU-8005U<br>Closed tray<br>transfer | WQP-0011<br>Closed tray<br>plastic<br>transfer | CMU-1006U<br>Ti Base | AMU-1201U<br>Analog | DASM-1040U<br>Analog for<br>digital model | SMU-4023U<br>Screw<br>for sleeve | TSU-1055U<br>Scan body<br>for<br>Multi-Unit | TSM-1013U<br>Titanium<br>sleeve for<br>Welding | TSU-1043U<br>Universal<br>scan body for<br>Multi-Unit |

24U



# ITL DENTAL

## Prosthetic Catalog

### Over Denture Ball Attachment in Connection with Implants

#### BALL MINOR STRAIGHT 3.5 Platform Dia. 4 mm



| Cat. No.    | BMS-4010                  | BMS-4020                  | BMS-4030                  | BMS-4040                  | BMS-4050                  | BMS-4060                  |
|-------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|
| Description | without cap<br>1mm height | without cap<br>2mm height | without cap<br>3mm height | without cap<br>4mm height | without cap<br>5mm height | without cap<br>6mm height |

#### BALL MINOR SET -...- SILICON 3.5 Platform Dia. 4 mm

**FULL SET**



| Cat. No.    | BMT-0010-S                                 | BMT-0020-S                                 | BMT-0030-S                                 | BMT-0040-S                                 | BMT-0050-S                                 | BMT-0060-S                                 |
|-------------|--------------------------------------------|--------------------------------------------|--------------------------------------------|--------------------------------------------|--------------------------------------------|--------------------------------------------|
| Description | with stainless housing<br>& silicon insert | with stainless housing<br>& silicon insert | with stainless housing<br>& silicon insert | with stainless housing<br>& silicon insert | with stainless housing<br>& silicon insert | with stainless housing<br>& silicon insert |

#### BALL HOUSING MINOR / BALL INSERT SILICON



| Cat. No.    | BHM-5032          | BIS-0025       |
|-------------|-------------------|----------------|
| Description | Stainless housing | Silicon insert |



# ITL DENTAL

## Prosthetic Catalog

### BALL WIDE STRAIGHT 4.5 Platform



| Cat. No.    | BWS-4010                  | BWS-4020                  | BWS-4030                  | BWS-4040                  | BWS-4050                  | BWS-4060                  |
|-------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|
| Description | without cap<br>1mm height | without cap<br>2mm height | without cap<br>3mm height | without cap<br>4mm height | without cap<br>5mm height | without cap<br>6mm height |

### BALL WIDE SET -...- SILICON 4.5 Platform



| Cat. No.    | BWT-0010-S                                 | BWT-0020-S                                 | BWT-0030-S                                 | BWT-0040-S                                 | BWT-0050-S                                 | BWT-0060-S                                 |
|-------------|--------------------------------------------|--------------------------------------------|--------------------------------------------|--------------------------------------------|--------------------------------------------|--------------------------------------------|
| Description | with stainless housing<br>& silicon insert | with stainless housing<br>& silicon insert | with stainless housing<br>& silicon insert | with stainless housing<br>& silicon insert | with stainless housing<br>& silicon insert | with stainless housing<br>& silicon insert |

### BALL HOUSING MINOR / BALL INSERT SILICON



| Cat. No.    | BHM-5032          | BIS-0025       |
|-------------|-------------------|----------------|
| Description | Stainless housing | Silicon insert |



# ITL DENTAL

## Prosthetic Catalog

### ANGULAR MLS SYSTEM CONCEPT 9°,18°,30° Angular Ball Attachment - Set

#### 9° BALL MINOR ANGULAR MLS SYSTEM CONCEPT 3.5 Platform



| Cat. No.    | BMA-0920-S                                         | BMA-0930-S                                         | BMA-0940-S                                         | BMA-0950-S                                         |
|-------------|----------------------------------------------------|----------------------------------------------------|----------------------------------------------------|----------------------------------------------------|
| Designation | with stainless housing & silicon insert 2mm height | with stainless housing & silicon insert 3mm height | with stainless housing & silicon insert 4mm height | with stainless housing & silicon insert 5mm height |



#### 18° BALL MINOR ANGULAR MLS SYSTEM CONCEPT 3.5 Platform



| Cat. No.    | BMA-1820-S                                         | BMA-1830-S                                         | BMA-1840-S                                         | BMA-1850-S                                         |
|-------------|----------------------------------------------------|----------------------------------------------------|----------------------------------------------------|----------------------------------------------------|
| Designation | with stainless housing & silicon insert 2mm height | with stainless housing & silicon insert 3mm height | with stainless housing & silicon insert 4mm height | with stainless housing & silicon insert 5mm height |

Designation info for  
Angular MLS System Adaptors:

Internal Hex:  
3.5 platform = EMA-... - M  
4.5 platform = EMA-... - W

#### 30° BALL MINOR ANGULAR MLS SYSTEM CONCEPT 3.5 Platform



| Cat. No.    | BMA-3020-S                                         | BMA-3030-S                                         | BMA-3040-S                                         | BMA-3050-S                                         |
|-------------|----------------------------------------------------|----------------------------------------------------|----------------------------------------------------|----------------------------------------------------|
| Designation | with stainless housing & silicon insert 2mm height | with stainless housing & silicon insert 3mm height | with stainless housing & silicon insert 4mm height | with stainless housing & silicon insert 5mm height |

### BALL HOUSING MINOR / BALL INSERT SILICON



| Cat. No.    | BHM-5032          | BIS-0025       |
|-------------|-------------------|----------------|
| Designation | Stainless housing | Silicon insert |



| Cat. No.    | OLH 0035              |
|-------------|-----------------------|
| Designation | Orienting Lead Holder |



# ITL DENTAL

## Prosthetic Catalog

### TEMPORARY AESTHETIC ABUTMENTS

Includes a Retaining Screw

Abutments for temporary restoration made of biocompatible material PEEK. Polyether ether Ether Ketone is a colorless organic Thermoplastic polymer, proven to provide long term service.

#### STRAIGHT LEVEL MINOR - PEEK 3.5 Platform



| Cat. No.    | SLM-1110P    | SLM-1220P    | SLM-1330P    |
|-------------|--------------|--------------|--------------|
| Designation | 1mm shoulder | 2mm shoulder | 3mm shoulder |

#### TEMPORARY TITANIUM ABUTMENT 3.5 Platform



| Cat. No.    | SMT-1210 | SMT-1210R    |
|-------------|----------|--------------|
| Designation | Engaging | Non Engaging |



#### ANGULAR CURVE MINOR - PEEK Platform 15° 3.5



| Cat. No.    | ACM-1115-10P           | ACM-1215-20P           | ACM-1215-30P           | ACM-1315-40P           |
|-------------|------------------------|------------------------|------------------------|------------------------|
| Designation | 1mm Aesthetic shoulder | 2mm Aesthetic shoulder | 3mm Aesthetic shoulder | 4mm Aesthetic shoulder |

#### ANGULAR CURVE MINOR - PEEK 3.5 Platform 25°



| Cat. No.    | ACM-1125-10P           | ACM-1225-20P           |
|-------------|------------------------|------------------------|
| Designation | 1mm Aesthetic shoulder | 2mm Aesthetic shoulder |

#### IMMEDIATE TEMPORARY CONICAL for immediate loading restoration 3.5 Platform



| Cat. No.    | ITC-0010               | ITC-0020               | ITC-0030               | ITC-0040               | ITC-0050               | ITC-0060               | CCP-00                  |
|-------------|------------------------|------------------------|------------------------|------------------------|------------------------|------------------------|-------------------------|
| Designation | 1mm Aesthetic shoulder | 2mm Aesthetic shoulder | 3mm Aesthetic shoulder | 4mm Aesthetic shoulder | 5mm Aesthetic shoulder | 6mm Aesthetic shoulder | PEEK Cover non engaging |



5 TEMPORARY ABUTMENTS

Color no. 5  
Internal Hex

# ITL DENTAL

## Prosthetic Catalog

### STRAIGHT AESTHETIC ABUTMENTS

Includes a Retaining Screw

Ultra Slim Abutments are designed to be used in cases where the gaps between the implants are too narrow for standard abutments.

#### STRAIGHT CURVE MINOR 3.5 platform

|                                                                                   |                                                                                   |                                                                                   |                                                                                   |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|
|  |  |  |  |
| SCM-1110                                                                          | SCM-1220                                                                          | SCM-1330                                                                          | SCM-1440                                                                          |
| Aesthetic Shoulder<br>1mm height                                                  | Aesthetic Shoulder<br>2mm height                                                  | Aesthetic Shoulder<br>3mm height                                                  | Aesthetic Shoulder<br>4mm height                                                  |

#### STRAIGHT LEVEL MINOR WITH HEX platform 3.5

|                                                                                     |                                                                                     |                                                                                     |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|  |  |  |
| SLM-1116                                                                            | SLM-1226                                                                            | SLM-1336                                                                            |
| Straight Shoulder<br>1mm height                                                     | Straight Shoulder<br>2mm height                                                     | Straight Shoulder<br>3mm height                                                     |

#### STRAIGHT LEVEL MINOR 3.5 platform

|                                                                                   |                                                                                   |                                                                                   |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|
|  |  |  |
| SLM-1110                                                                          | SLM-1220                                                                          | SLM-1330                                                                          |
| Straight Shoulder<br>1mm height                                                   | Straight Shoulder<br>2mm height                                                   | Straight Shoulder<br>3mm height                                                   |

#### STRAIGHT LEVEL MINOR WITH GROOVES platform 3.5

|                                                                                     |                                                                                     |                                                                                     |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|  |  |  |
| SLM-1110-G                                                                          | SLM-1220-G                                                                          | SLM-1330-G                                                                          |
| Straight Shoulder<br>1mm height                                                     | Straight Shoulder<br>2mm height                                                     | Straight Shoulder<br>3mm height                                                     |

#### STRAIGHT SLIM MINOR 3.5 platform

|                                                                                    |                                                                                    |                                                                                    |
|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|
|  |  |  |
| SSM-0006                                                                           | SSM-0008                                                                           | SSM-0010                                                                           |
| Ultra Slim Abutment<br>6mm height                                                  | Ultra Slim Abutment<br>8mm height                                                  | Ultra Slim Abutment<br>10mm height                                                 |

#### STRAIGHT MINOR platform 3.5

|                                                                                       |                                                                                       |                                                                                       |                                                                                       |
|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|  |  |  |  |
| STM-0910                                                                              | STM-1110                                                                              | STM-1310                                                                              | STM-1120                                                                              |
| Standard Abutment<br>9mm height                                                       | Standard Abutment<br>11mm height                                                      | Standard Abutment<br>13mm height                                                      | Thick Abutment<br>11mm height                                                         |

#### STRAIGHT CURVE WIDE 4.5 platform


|                                                                                     |                                                                                     |                                                                                     |                                                                                     |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|  |  |  |  |
| SCW-1110                                                                            | SCW-1220                                                                            | SCW-1330                                                                            | SCW-1440                                                                            |
| Aesthetic Shoulder<br>1mm height                                                    | Aesthetic Shoulder<br>2mm height                                                    | Aesthetic Shoulder<br>3mm height                                                    | Aesthetic Shoulder<br>4mm height                                                    |

#### STRAIGHT WIDE platform 4.5

|                                                                                       |
|---------------------------------------------------------------------------------------|
|  |
| STW-1110                                                                              |
| Standard Abutment<br>11mm height                                                      |

#### STRAIGHT LEVEL WIDE 4.5 platform

|                                                                                     |                                                                                       |                                                                                       |
|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|  |  |  |
| SLW-1110                                                                            | SLW-1220                                                                              | SLW-1330                                                                              |
| Straight Shoulder<br>1mm height                                                     | Straight Shoulder<br>2mm height                                                       | Straight Shoulder<br>3mm height                                                       |



# ITL DENTAL

## Prosthetic Catalog

### ANGULAR AESTHETIC ABUTMENTS

Includes a Retaining Screw

#### SPECIFICATIONS

- Includes the Prosthetic Screw
- Installs with 0.050 hex drivers (1.27mm)
- Non-rotational design for standard, internal-hex implants
- Made of Commercial grade 5 Titanium alloy (ASTM-F-136 02A COND A)



#### ANGULAR CURVE MINOR 3.5 Platform 15°



| Cat. No.    | ACM-1115-10            | ACM-1215-20            | ACM-1215-30            | ACM-1315-40            |
|-------------|------------------------|------------------------|------------------------|------------------------|
| Designation | 1mm Aesthetic shoulder | 2mm Aesthetic shoulder | 3mm Aesthetic shoulder | 4mm Aesthetic shoulder |



#### ANGULAR CURVE WIDE 4.5 Platform 15°



| Cat. No.    | ACW-1115-10            | ACW-1215-20            |
|-------------|------------------------|------------------------|
| Designation | 1mm Aesthetic shoulder | 2mm Aesthetic shoulder |



#### ANGULAR CURVE MINOR 3.5 Platform 25°



| Cat. No.    | ACM-1125-10            | ACM-1225-20            | ACM-1325-30            | ACM-1425-40            |
|-------------|------------------------|------------------------|------------------------|------------------------|
| Designation | 1mm Aesthetic shoulder | 2mm Aesthetic shoulder | 3mm Aesthetic shoulder | 4mm Aesthetic shoulder |





# ITL DENTAL

## Prosthetic Catalog

### STRAIGHT & ANGLED CERVICAL CONTOURED ABUTMENTS

Includes a Retaining Screw

#### SPECIFICATIONS

- Installs with 0.050 hex drivers (1.27mm)
- Non-rotational design for standard, internal-hex implants
- Made of Commercial grade 5 Titanium alloy (ASTM-F-136 02A COND A)



#### STRAIGHT CERVICAL CONTOUR 3.5 Platform



| Cat. No.    | SCCM-1220                        | SCCM-1330                        | SCCM-1440                        |
|-------------|----------------------------------|----------------------------------|----------------------------------|
| Designation | Straight Aesthetic Abutment 2mmH | Straight Aesthetic Abutment 3mmH | Straight Aesthetic Abutment 4mmH |

#### STRAIGHT CERVICAL CONTOUR 4.5 Platform



| Cat. No.    | SCCW-1220                        | SCCW-1330                        | SCCW-1440                        |
|-------------|----------------------------------|----------------------------------|----------------------------------|
| Designation | Straight Aesthetic Abutment 2mmH | Straight Aesthetic Abutment 3mmH | Straight Aesthetic Abutment 4mmH |

6 CERVICAL CONTOUR ABUTMENTS

#### ANGULAR CERVICAL CONTOUR 3.5 Platform 15°



| Cat. No.    | ACCM-1215-20                | ACCM-1315-30                | ACCM-1415-40                |
|-------------|-----------------------------|-----------------------------|-----------------------------|
| Designation | 15° Aesthetic Abutment 2mmH | 15° Aesthetic Abutment 3mmH | 15° Aesthetic Abutment 4mmH |

#### ANGULAR CERVICAL CONTOUR 3.5 Platform 25°



| Cat. No.    | ACCM-1225-20                | ACCM-1325-30                | ACCM-1425-40                |
|-------------|-----------------------------|-----------------------------|-----------------------------|
| Designation | 25° Aesthetic Abutment 2mmH | 25° Aesthetic Abutment 3mmH | 25° Aesthetic Abutment 4mmH |

31

ITL DENTAL

# ITL DENTAL

## Prosthetic Catalog

### ANGULAR SMOOTH MINOR - LEAF



|             |               |               |
|-------------|---------------|---------------|
| Cat. No.    | ASM-0915 - LF | ASM-1115 - LF |
| Designation | Chopped edge  | Chopped edge  |



### ANGULAR SMOOTH MINOR - LEAF 3.5 Platform 25°

Ultra Slim and **LEAF** treatment are for front teeth



|             |               |               |
|-------------|---------------|---------------|
| Cat. No.    | ASM-0925 - LF | ASM-1125 - LF |
| Designation | Chopped edge  | Chopped edge  |

### ANGULAR SMOOTH MINOR 3.5 Platform 15°



|             |              |              |              |
|-------------|--------------|--------------|--------------|
| Cat. No.    | ASM-0915     | ASM-1115     | ASM-1315     |
| Designation | Smooth shape | Smooth shape | Smooth shape |

### ANGULAR SMOOTH THIN 3.5 Platform 15° & 25°



|             |                |                |
|-------------|----------------|----------------|
| Cat. No.    | AST-1115       | AST-1125       |
| Designation | Ultra Slim 15° | Ultra Slim 25° |

### ANGULAR SMOOTH WIDE 4.5 Platform 15°



|             |              |
|-------------|--------------|
| Cat. No.    | ASW-1115     |
| Designation | Smooth shape |

### ANGULAR SMOOTH MINOR 3.5 Platform 25°



|             |              |              |              |
|-------------|--------------|--------------|--------------|
| Cat. No.    | ASM-0925     | ASM-1125     | ASM-1325     |
| Designation | Smooth shape | Smooth shape | Smooth shape |

### PLASTIC ABUTMENTS FOR CASTING

#### PLASTICS STRAIGHT FOR CASTING 3.5 / 4.5 Platform



|             |            |                          |          |                        |
|-------------|------------|--------------------------|----------|------------------------|
| Cat. No.    | PSM-0013   | PSW-0013                 | PSM-6013 | PSW-6013               |
| Designation | Round Base | Round Base wide Cylinder | Hex Base | Hex Base wide Cylinder |

#### 8 CASTING ABUTMENTS

Color no. 8  
Internal Hex

The Titanium / Plastic Abutments are for Investment and casting following conventional crown and bridge techniques. The Titanium / Plastic Abutments combine precision machined interface between the implant and the Abutment with the convenience of a castable plastic sleeve.

#### TITANIUM PLASTIC ABUTMENT 3.5 Platform



|             |          |            |
|-------------|----------|------------|
| Cat. No.    | TPA-1420 | TPA-1420 R |
| Designation | Hex Base | Round Base |

#### TITANIUM PLASTIC ABUTMENT 4.5 Platform



|             |                        |                          |
|-------------|------------------------|--------------------------|
| Cat. No.    | TPA-1420 W             | TPA-1420 WR              |
| Designation | Hex Base wide platform | Round Base wide platform |

### CERVICAL CONTOURED PLASTIC ABUTMENTS

#### 3.5 Platform, 2mm Shoulder



|             |          |            |
|-------------|----------|------------|
| Cat. No.    | CPA-1420 | CPA-1420-R |
| Designation | Hex Base | Round Base |

#### 3.5 Platform, 3mm Shoulder



|             |                    |                      |
|-------------|--------------------|----------------------|
| Cat. No.    | CPA-1430           | CPA-1430-R           |
| Designation | Hex Base H= 3.0 mm | Round Base H= 3.0 mm |

#### 4.5 Platform, 2mm Shoulder



|             |                        |                          |
|-------------|------------------------|--------------------------|
| Cat. No.    | CPA-1420-W             | CPA-1420-WR              |
| Designation | Hex Base Wide Platform | Round Base Wide Platform |



# ITL DENTAL

## Prosthetic Catalog

Analogs are used for the fabrication of a master model.  
They are replicas of the implant. All analogs are made of high grade stainless steel.

### ANALOG STAINLESS



| Cat. No.    | AMS-1201                               | AWS-1201                            | A57S                               | AMB-1201                      | DAS-1036                          | DAS-1038                          |
|-------------|----------------------------------------|-------------------------------------|------------------------------------|-------------------------------|-----------------------------------|-----------------------------------|
| Designation | Stainless body<br>3.5 Regular Platform | Stainless body<br>4.5 Wide Platform | 5.7 Analog<br>Internal Hex Implant | Analog for<br>Ball Attachment | 3.5mm Analog for<br>Digital Model | 4.5mm Analog for<br>Digital Model |



9 ANALOG

Color no. 9  
Internal Hex

### ANALOG MLS SYSTEM



#### MLS SYSTEM

| Cat. No.    | AMU-1201                 |
|-------------|--------------------------|
| Designation | Analog for<br>Multi-Unit |

### ANALOG FOR OLS ABUTMENT SYSTEM



#### OLS ABUTMENT SYSTEM

| Cat. No.    | AWC-1301                          |
|-------------|-----------------------------------|
| Designation | Analog for OLS<br>Abutment System |

# ITL DENTAL

## Prosthetic Catalog



|             |                              |                                     |                          |
|-------------|------------------------------|-------------------------------------|--------------------------|
| Cat. No.    | SBT - 1016                   | SBT - 1056                          | SDAS - 1057              |
| Designation | 3D Scan Body for TiBase 10mm | 3D Scan Body for TiBase / Long 13mm | Digital Analog for Model |

### 3.5 Platform - Non-Rotational

|                                                       |                                                       |                                                       |                                                       |
|-------------------------------------------------------|-------------------------------------------------------|-------------------------------------------------------|-------------------------------------------------------|
|                                                       |                                                       |                                                       |                                                       |
| SMS - 6031<br>H=01 CadCam<br>TiBase<br>Non-rotational | SMS - 6032<br>H=02 CadCam<br>TiBase<br>Non-rotational | SMS - 6033<br>H=03 CadCam<br>TiBase<br>Non-rotational | SMS - 6034<br>H=04 CadCam<br>TiBase<br>Non-rotational |

### 3.5 Platform - Rotational

|                                                   |                                                   |                                                   |                                                   |
|---------------------------------------------------|---------------------------------------------------|---------------------------------------------------|---------------------------------------------------|
|                                                   |                                                   |                                                   |                                                   |
| SMS - 0031<br>H=01 CadCam<br>TiBase<br>Rotational | SMS - 0032<br>H=02 CadCam<br>TiBase<br>Rotational | SMS - 0033<br>H=03 CadCam<br>TiBase<br>Rotational | SMS - 0034<br>H=04 CadCam<br>TiBase<br>Rotational |

### 4.5 Platform

|                                         |                                     |
|-----------------------------------------|-------------------------------------|
| SWS - 6030<br>                          | SWS - 0030<br>                      |
| CadCam TiBase<br>wide<br>Non-rotational | CadCam TiBase<br>wide<br>Rotational |

**NOTE:** Use screw SCS - 3095 or SCP - 2580 for scanning abutments.



# ITL DENTAL

## Prosthetic Catalog

Healing caps are used to maintain access through tissue during the healing phase. They are available in variety of heights and diameters to accommodate tissue depth.

### HEALING CAP MINOR 3.5 Ultra Slim Platform



| Cat. No.    | HCM-3720S                 | HCM-3730S                 | HCM-3740S                 | HCM-3750S                 | HCM-3760S                 | HCM-3770S                 |
|-------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|
| Designation | Dia. 3.7 mm<br>2mm height | Dia. 3.7 mm<br>3mm height | Dia. 3.7 mm<br>4mm height | Dia. 3.7 mm<br>5mm height | Dia. 3.7 mm<br>6mm height | Dia. 3.7 mm<br>7mm height |

\* Recommended for narrow spaces


### HEALING CAP MINO 3.5 Slim Platform



| Cat. No.    | HCM-4020S                 | HCM-4030S                 | HCM-4040S                 | HCM-4050S                 | HCM-4060S                 | HCM-4070S                 |
|-------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|
| Designation | Dia. 4.6 mm<br>2mm height | Dia. 4.6 mm<br>3mm height | Dia. 4.6 mm<br>4mm height | Dia. 4.6 mm<br>5mm height | Dia. 4.6 mm<br>6mm height | Dia. 4.6 mm<br>7mm height |

\* Recommended for narrow spaces

### HEALING CAP MINO 3.5 Normal Platform



| Cat. No.    | HCM-5020S               | HCM-5030S               | HCM-5040S               | HCM-5050S               | HCM-5060S               | HCM-5070S               |
|-------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|
| Designation | Dia. 5 mm<br>2mm height | Dia. 5 mm<br>3mm height | Dia. 5 mm<br>4mm height | Dia. 5 mm<br>5mm height | Dia. 5 mm<br>6mm height | Dia. 5 mm<br>7mm height |

\* Recommended for angular restoration

### HEALING CAP WIDE 4.5 Wide Platform



| Cat. No.    | HCW-6030S               | HCW-6040S               | HCW-6050S               | HCW-6060S               | HCW-6070S               | HCW-6080S               |
|-------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|
| Designation | Dia. 6 mm<br>3mm height | Dia. 6 mm<br>4mm height | Dia. 6 mm<br>5mm height | Dia. 6 mm<br>6mm height | Dia. 6 mm<br>7mm height | Dia. 6 mm<br>8mm height |

### HEALING CAP WIDE 5.7 Wide Platform



| Cat. No.    | HCW-6530S                 |
|-------------|---------------------------|
| Designation | Dia. 6.6 mm<br>3mm height |

| Cat. No.    | HCW-6550S                 |
|-------------|---------------------------|
| Designation | Dia. 6.6 mm<br>5mm height |

NOTE: Cervical contoured healing caps are available in the 40XX, 50XX series and HCW-6030S, 6040S, and 6050S. For cervical contoured, delete the S at the end of the product code.

ITL DENTAL



# ITL DENTAL

## Prosthetic Catalog

### SCREWS FOR ABUTMENTS



|             |                      |                       |                     |
|-------------|----------------------|-----------------------|---------------------|
| Cat No.     | SCA - 2385           | SCS - 3095            | SMU - 4023          |
| Description | For Angular Abutment | For Straight Abutment | For MLS Unit Sleeve |

### SCREWS FOR OVER DENTURE ABUTMENTS



|             |                                    |                                    |                                    |
|-------------|------------------------------------|------------------------------------|------------------------------------|
| Cat No.     | SCS - 3011                         | SCS - 3012                         | SCS - 3013                         |
| Description | For Over denture Abutment ECA-6005 | For Over Denture Abutment ECA-6015 | For Over Denture Abutment ECA-6025 |

### SCREWS FOR OPEN TRAY TRANSFER



|             |                       |                              |                          |
|-------------|-----------------------|------------------------------|--------------------------|
| Cat No.     | SCT - 3014            | SCT - 3018                   | SCT - 3023               |
| Description | For MLS Unit Transfer | For Short Transfer Open Tray | For Transfer - Open Tray |

### SCREW FOR PLASTIC ABUTMENTS



|             |                               |                           |
|-------------|-------------------------------|---------------------------|
| Cat No.     | SCP-2580                      | SCA-2565                  |
| Description | For Straight Plastic Abutment | For Angular Peek Abutment |

### SCREW FOR CLOSE TRAY TRANSFER



|             |                         |
|-------------|-------------------------|
| Cat No.     | SCT - 2213              |
| Description | For Close tray Transfer |

12

PROSTHETIC SCREWS

Color no. 12  
Internal Hex

ITL DENTAL

# ITL DENTAL

## Prosthetic Catalog

### TRANSFER IMPRESSION COPING

Includes a Retaining Screw

#### TRANSFER STAINLESS open tray Transfer 3.5 Platform



| Cat. No.    | TMS-1301                      | TSS - 1001                    | TMS-1001                       |
|-------------|-------------------------------|-------------------------------|--------------------------------|
| Designation | Stainless body<br>Long Design | Stainless body<br>Slim design | Stainless body<br>Short Design |

#### TRANSFER WIDE STAINLESS Open Tray Transfer 4.5 Platform



| Cat. No.    | TWS-1301                      |
|-------------|-------------------------------|
| Designation | Stainless body<br>Long Design |

13 TRANSFER

Color no. 13  
Internal Hex

#### TRANSFER CLOSED Closed-tray CONCAVE Transfer 3.5 Platform



| Cat. No.    | TMCC-0930                             | TMCC-0950                             |
|-------------|---------------------------------------|---------------------------------------|
| Designation | Titanium Body<br>CONCAVE<br>H= 3.0 mm | Titanium Body<br>CONCAVE<br>H= 5.0 mm |

#### TRANSFER CLOSED Closed-tray Transfer 3.5 Platform



| Cat. No.    | TMC-100003                                   | TMC-100004                                   |
|-------------|----------------------------------------------|----------------------------------------------|
| Designation | Long Transfer<br>L = 6.0 mm<br>Titanium Body | Long Transfer<br>L = 7.5 mm<br>Titanium Body |

#### TRANSFER CLOSED Closed-tray Transfer Abutment 3.5 Platform



| Cat. No.    | TMC-0910                                   | TMC-0920                                   | TMC-0930                                   | TMC-0940                                   | TMC-0950                                   |
|-------------|--------------------------------------------|--------------------------------------------|--------------------------------------------|--------------------------------------------|--------------------------------------------|
| Designation | Titanium body<br>1mm Aesthetic<br>shoulder | Titanium body<br>2mm Aesthetic<br>shoulder | Titanium body<br>3mm Aesthetic<br>shoulder | Titanium body<br>4mm Aesthetic<br>shoulder | Titanium body<br>5mm Aesthetic<br>shoulder |

TMP - 0010 Cap included with closed transfers.

#### TRANSFER MATCHED PLASTIC Closed-tray Transfer Plastic Cap



| Cat. No.    | TMP-0008              | TMP-0010               |
|-------------|-----------------------|------------------------|
| Designation | low level plastic cap | high level plastic cap |

#### TRANSFER WIDE CLOSED Closed-tray Transfer Abutment 4.5 Platform



| Cat. No.    | TWC-0910                                   | TWC-0920                                   | TWC-0930                                   | TWC-0940                                   | TWC-0950                                   |
|-------------|--------------------------------------------|--------------------------------------------|--------------------------------------------|--------------------------------------------|--------------------------------------------|
| Designation | Titanium body<br>1mm Aesthetic<br>shoulder | Titanium body<br>2mm Aesthetic<br>shoulder | Titanium body<br>3mm Aesthetic<br>shoulder | Titanium body<br>4mm Aesthetic<br>shoulder | Titanium body<br>5mm Aesthetic<br>shoulder |

\* Plastic cap included

Titanium body  
Tin coated



#### TRANSFER CLOSED Closed-tray Transfer 3.5 Platform



| Cat. No.    | TMC-0900       |
|-------------|----------------|
| Designation | Stainless body |